

STONE

Litus




Dark Grey 612032

Litus



Ivory
612030
60x120 cm / 23.6x47.2"

Light Grey
612031
60x120 cm / 23.6x47.2"




Ivory
612030
60x120 cm / 23.6x47.2"



Dark Grey
612032
60x120 cm / 23.6x47.2"



Light Grey
612031
60x120 cm / 23.6x47.2"



Charcoal
612033
60x120 cm / 23.6x47.2"



Ivory
612030



Light Grey
612031



Dark Grey
612032



Charcoal
612033

Technical Specifications

	Water Absorption (%)	Dimension (%)		Thickness (%)	Straightness of Sides (%)	Central Warpage (%)	Edge Curvature (%)	Warpage (%)	Rectangularity (%)
		Length	Width						
EN14411 (ISO 13006)	≤ 0.5	≤ 1.0	≤ 1.0	± 5	± 1.0	± 0.5	± 1.0	± 0.5	± 0.5
60X120 cm 23.6x47.2"	≤ 0.2	± 0.3	± 0.3	± 2	± 0.3	± 0.2	± -0.4-0.6	± 0.2	± 0.13

	Breaking Strength Modulus of Rupture	Thermal Shock Resistance	Resistance to Chemical	Glazed Crack Resistance	Frost Resistance	Stain Resistance
EN14411 (ISO 13006)	≥35	Resistance	≥GB	Resistance	Resistance	≥3
60X120 cm 23.6x47.2"	2600-3000N	Resistance	OK	Resistance	Resistance	No

Packing List	Pcs Per M ²	Pcs Per Box	Weight Per Box	Boxes Per PLT
60X120 cm 23.6x47.2"	—	2	31.5	28